



G2 LED POST TOP FIXTURE (ACORN)

JAYKAL

PROJECT NAME:

JAYKAL LED SOLUTIONS, INC.

www.jaykal.net

PROJECT NOTES:

21499 Baltimore Ave.

Georgetown, DE 19947

(P) 302-295-0015

(F) 302-295-0016

PRODUCT DESCRIPTION

The fixture is suitable for commercial and retail applications.

Wattage and color selectability is standard, allowing field tuning to meet changing project requirements. It features three wattage presets and three color presets.

FEATURES

- Wattage Options: 30W/50W/60W or 60W/80W/100W Selectable
- MCCT : 3000K/4000K/5000K Selectable
- 5 Year Warranty - 10 Year Warranty Available
- Near Zero Maintenance



RoHS 
Compliant

(P) 302-295-0015 | (E) sales@jaykal.net | (W) www.jaykal.net

Revised 12/2/24

Specifications are typical values and may change without notification

efficiency. illuminated.



G2 LED POST TOP FIXTURE (ACORN)

JAYKAL

SPECIFICATIONS

MODEL	JLS-G2ACTR	
WATTAGE	30W/50W/60W Selectable	60W/80W/100W Selectable
INPUT VOLTAGE	120-277VAC 50/60Hz	
EFFICACY	110LM/W	
LUMENS @40K	3,300LM/5,500LM/6,600LM	6,600LM/8,800LM/11,000LM
POWER FACTOR	>0.90	
WATTAGE SELECTABLE	YES	
THD	<20%	
CRI	>70	
L70 HOURS	>50,000 Hours	
CCT	3000K/4000K/5000K Selectable	
OPERATIONAL TEMP.	-40° C - 45° C (-40° F - 113° F)	
HOUSING MATERIAL	ADC12 Die-Cast Aluminum	
HOUSING FINISH	Black	
LENS MATERIAL	Polycarbonate	
PROTECTION	Wet Location IP65	
DIMENSION	Φ460 x 840 mm (Φ18.1 x 33.0 Inch) / Φ450 x 950 mm (Φ17.7 x 37.4 Inch)	
WEIGHT	6.2 kg (13.67 lbs) / 8.5 kg (18.74 lbs)	
WARRANTY	5 Years (10 Years Available)	

ORDERING GUIDE

EXAMPLE: JLS-G2ACTR-277-M2-7MCCT-N

MODEL	VOLTAGE	WATTAGE	CCT	OPTION
JLS-G2ACTR	277 = 120-277VAC	M1 = 30W/50W/60W Selectable M2 = 60W/80W/100W Selectable	7MCCT = 3000K/4000K/5000K Selectable	N = No Options PC = Photocell * * Inventory lacks a standard

(P) 302-295-0015 | (E) sales@jaykal.net | (W) www.jaykal.net

Specifications are typical values and may change without notification

efficiency. illuminated.



G2 LED POST TOP FIXTURE (ACORN)

JAYKAL


OPTIONS

Button Photocell Sensor (Optional)


CCT Select & Power Select



DIMENSIONS (Unit : mm/Inch)



M1 = 30/50/60W



M2 = 60/80/100W

(P) 302-295-0015 | (E) sales@jaykal.net | (W) www.jaykal.net

Specifications are typical values and may change without notification

efficiency. illuminated.