



LED BULB A19

JAYKAL

PROJECT NAME:

JAYKAL LED SOLUTIONS, INC.

www.jaykal.net

PROJECT NOTES:

21499 Baltimore Ave.

Georgetown, DE 19947

(P) 302-295-0015

(F) 302-295-0016

DESCRIPTION:

LED bulb is a kind of solid-state semiconductor device that can convert electric energy into visible light, which can directly convert electricity into light. It has the characteristics of high efficiency and long service life.

FEATURES & BENEFITS:

- ◆ Up to 80% less energy than halogen alternatives
- ◆ Exceeds all in industry performance requirements
- ◆ Designed for 15,000 hours
- ◆ Very low heat generation - excel for sensitive display lighting
- ◆ Excellent Color consistency and high color rendering (CRI)
- ◆ Warranty: 5 Years



5 YEAR STANDARD WARRANTY—EXTENDED WARRANTIES AVAILABLE

(P) 302-295-0015 | (E) sales@jaykal.net | (W) www.jaykal.net

Specifications are typical values and may change without notification

efficiency. illuminated.



LED BULB A19

JAYKAL

ELSR SPECIFICATION TABLE

Watt	5.5W	Certifications	UL/ ROHS
Input Voltage	120VAC	Environment	Indoor
Beam Angle	180°	Operating Temperature	-20°C — 40°C
Warranty	5 years	Housing Material	Plastic and Aluminum
Efficacy	>81 Lm/W	CCT	2700K/3000K/3500K/4000K/5000K
Luminous Flux	450 Lm	Life (L70)	15,000+ hours
CRI	>80	Dimensions(L x H x W)	Φ60mm*106.8 mm

ELSR SPECIFICATION TABLE

Watt	9W	Certifications	UL/ ROHS
Input Voltage	120VAC	Environment	Indoor
Beam Angle	180°	Operating Temperature	-20°C — 40°C
Warranty	5 years	Housing Material	Plastic and Aluminum
Efficacy	>81 Lm/W	CCT	2700K/3000K/3500K/4000K/5000K
Luminous Flux	750 Lm	Life (L70)	15,000+ hours
CRI	>80	Dimensions(L x H x W)	Φ60mm*106.8 mm

(P) 302-295-0015 | (E) sales@jaykal.net | (W) www.jaykal.net

Specifications are typical values and may change without notification

efficiency. illuminated.



LED BULB A19

JAYKAL

ELSR SPECIFICATION TABLE

Watt	11W	Certifications	UL/ ROHS
Input Voltage	120VAC	Environment	Indoor
Beam Angle	180°	Operating Temperature	-20°C — 40°C
Warranty	5 years	Housing Material	Plastic and Aluminum
Efficacy	100 Lm/W	CCT	2700K/3000K/3500K/4000K/5000K
Luminous Flux	1100 Lm	Life (L70)	15,000+ hours
CRI	>80	Dimensions(L x H x W)	Φ65mm*114 mm

ELSR SPECIFICATION TABLE

Watt	14W	Certifications	UL/ ROHS
Input Voltage	120VAC	Environment	Indoor
Beam Angle	180°	Operating Temperature	-20°C — 40°C
Warranty	5 years	Housing Material	Plastic and Aluminum
Efficacy	114 Lm/W	CCT	2700K/3000K/3500K/4000K/5000K
Luminous Flux	1600 Lm	Life (L70)	15,000+ hours
CRI	>80	Dimensions(L x H x W)	Φ65mm*117 mm

(P) 302-295-0015 | (E) sales@jaykal.net | (W) www.jaykal.net

Specifications are typical values and may change without notification


efficiency. illuminated.

LED BULB A19




JAYKAL


DIMENSIONS



5.5W/9W



11W



14W

ORDERING INFORMATION

FAMILY MODEL NUMBER	Type	WATT	CCT	Base Cap
JLS-	A19	5.5 = 5.5W 9 = 9W 11 = 11W 14 = 14W	827K = 2700K 830K = 3000K 835K = 3500K 840K = 4000K 850K = 5000K	E26

(P) 302-295-0015 | (E) sales@jaykal.net | (W) www.jaykal.net

Specifications are typical values and may change without notification

efficiency. illuminated.