



ADVANCED A19 LED BULBS

DESCRIPTION

The LED A19 lamp is an energy-efficient replacement for traditional incandescent and compact fluorescent (CFL) lamps. Designed for general-purpose illumination, it delivers consistent light output, long service life, and reduced energy consumption while maintaining compatibility with standard medium base sockets.

FEATURES

- Up to 80% less energy than halogen alternatives.
- Exceeds all in industry performance requirements.
- Designed for 25,000 hours.
- Very low heat generation - excel for sensitive display lighting.
- Excellent Color consistency and high color rendering (CRI).
- Warranty: 5 Years.



Revised 5/11/2026

Specifications are typical values and may change without notification



SPECIFICATIONS

MODEL	JLS-A19			
WATTAGE	5.5W	9W	11W	14W
INPUT VOLTAGE	120Vac 50/60hz			
EFFICACY	81lm/W	81lm/W	100lm/W	114lm/W
LUMENS	450lm	750lm	1100lm	1600lm
PF	>0.7			
THD	<140%			
BEAM ANGLE	180°			
L70 HOURS	>25,000 Hours			
CRI	>80			
CCT	2700K/3000K/3500K/4000K/5000K			
PROTECTION	Integral short circuit, open circuit, and overload protection			
DIMMING	Phase-cut dimming @120VAC			
OP. TEMP.	-20°C (-4°F) - 40°C (104°F)			
HOUSING	Plastic and Aluminum			
ENVIRONMENT	Indoor			
DIMENSIONS	60mm * 106.8mm	60mm * 106.8mm	65mm * 114mm	65mm * 117mm
WARRANTY	5 Years			
FCC	FCC 47 CFR Part 15 Compliance			
CERTIFICATIONS	UL/ ROHS			


ORDERING GUIDE

MODEL	-	TYPE	-	WATTAGE	-	CCT	-	LAMP BASE
JLS-A19	-	A19 = A19 Lamp	-	5.5 = 5.5 Watts 9 = 9 Watts 11 = 11 Watts 14 = 14 Watts	-	827K = 2700K 830K = 3000K 835K = 3500K 840K = 4000K	-	E26 = E26 Base


Specifications are typical values and may change without notification




DIMENSIONS



5.5W/9W



11W



14W

Specifications are typical values and may change without notification